



Key Features

1. Intel® Xeon® processor 5600/5500 series, with QPI up to 6.4 GT/s
2. Up to 192GB DDR3 1333/ 1066/800MHz ECC Reg. DIMM / 48GB Unbuffered DIMM
3. Left Slot (Full-height / Full-length): 2 (x8) PCI-E 2.0 slots
4. Right Slot (Low-Profile - 5.5" depth): 1(x4) PCI-E 2.0(in x8 slot)
5. LSI 2108 8-Port 6Gbps SAS Controller;RAID 0,1,5,6,10,50,60
6. Intel® 82576 Dual-Port Gigabit Ethernet Controller
7. 8 x 2.5" Hot-swap SAS/SATA Drives,For Customizable Storage
8. 700W Gold-Level Redundant Power Supply

Processor / Cache		Per Node
Processor	Intel® Xeon® processor 5600/5500 series	
System Bus / QPI	QPI up to 6.4 GT/s	
Key Application		
HPC Cluster Computing Nodes, Data Centers, Data Farms		
Chipset / Serverboard		Per Node
		Intel® 5520 (Tylersburg) chipset
System Memory		Per Node
Memory Capacity	Up to 192GB DDR3 1333/ 1066/800MHz ECC Reg. DIMM /48GB Unbuffered DIMM	
Expansion Slot		Per Node
		Left : Slot 2 (x8) PCI-E 2.0 slots
		Right Slot : 1 (x4) PCI-E 2.0 (in x8 slot -Low-Profile - 5.5" depth)
Integrated On-Board		Per Node
SAS / SATA	Intel ICH10R SATA 3.0Gbps Controller ; RAID 0, 1, 5, 10 support	
LAN	Intel® 82576 Dual-Port Gigabit Ethernet Controller ; Supports IPMI v2.0	
Graphics	Matrox G200eW	
RAID Card		
-		
Add-on Card		
1x Riser Card		
Drive Bays		
HDD Drive	8x 2.5" SAS / SATA Hot-swap drive trays	
Peripheral Drive	Slim 8x DVD, 24x CD, DVD-ROM drive	
Power Supply		
700W/750W Redundant AC-DC high-efficiency power supply with PMBus and I2C		
Cooling System		
Fans 5x Cooling Fans ; Shroud 1x Air Shroud		
Form Factor		1U Rackmount
W x H x D	17.2" (437mm) x 1.7" (43mm) x 27.75" (705mm)	

India Authorized Distributor:

Mega Networks Pvt. Ltd. India	+9122 4155 8282	e-Mail: info@meganet1.com
	+9122 2562 8282	sales@meganet1.com
Meganet Technologies, Inc. USA	+1 302 261 5400	Web: www.meganet1.com

Corp. Office :

#507-508 Corporate Centre, Nirmal Lifestyle, L.B.S. Marg, Mulund (W), Mumbai - 400 080. India

Mumbai | Pune | Hyderabad | Ahmedabad | San Francisco

